

durability
dependability

At **RDA Solutions, LLC**, we value our customers feedback. We are consistently working with engineers to develop a line of off-grid solar panels that are specifically designed to withstand the many rigors of the oil and gas industry.

We pride ourselves in service before, during and after the sale.

Introducing the

RDA 40 watt 12V Class 1 Division 2 Solar Panel

- Class 1 Division 2 (FM18US0174X)
- 1.5mm Aluminum Frame
- Quality "A" Grade Solar Cells
- IP65 Junction Box with Knockouts
- Designed specifically for the Oil and Gas market



Electrical Specs:

Maximum Power	40W
Power Tolerance	(+3/-0%)
Voltage at max power(Vmp)	18.70V
Current at max power(Imp)	2.14A
Open Circuit Voltage(Voc)	22.20V
Short Circuit Current(Isc)	2.31A
Operating Temperature	-40 °C - +85 °C
Maximum system Voltage	1000V
Maximum Sys Fuse Rating	15A

Mechanical Specs:

Solar Cell	Polycrystalline solar cell
# of cells & Connections	36=4x9 pcs
Dimensions of module	990x340x50mm; 39x13.5x2in
Weight	3.5kg; 8lb
Junction Box	Ip65 rated

Power Cord Options:

- SPC-SE-1615 (fig 1) 16ga, 15', SEOOW
- SPC-FC-12/2 (fig 2) 12ga, 15', Flex Conduit



Bracket Options:

- SPB-52020 (fig 3)
- SPB-CM-SM (fig 4)

